

Feel Free TO BREATHE



Masks, headtops and hood options

Masks, headtops and hood options

As part of our continuous product development, RSG is introducing a range of T-Air® headtops for use with the new T-Air® Powered Respirator.





T-AIR 1000 M Part # 614060

- Easy adjustable head harness with ratchet Chemical resistant PETG visor
- Comfortable SMS neck seal
- Hood made of Lightweight Microporous material including overpressure valve



T-AIR 1000 CHEM1 Part # 614061

- Hood made of HDPE barrier film laminate with overpressure valve
- Easy adjustable and reusable head harness with ratchet
- Chemical resistant PETG visor
- Comfortable SMS neck seal



T-AIR 1000 CHEM3 Part # 614062

- Hood made of Multi-layer composite material with EVOH film barrier with exhalation valve
- Easy adjustable and reusable head harness with ratchet
- Chemical resistant PETG visor
- Comfortable SMS neck seal



T-AIRVISOR
Part # 614150

- Large viewing area, chemical
- and mechanical resistant visor
 Easy removal disposable visor
- Possibility to flip up visor
- Comfortable elastic cotton face seal
- Easy adjustable head harness with ratchet



T-AIRWELD 820
Part # 614260

- Respiratory (EN12941) and eye protection (EN175B)
- High quality ADF lens with 4 sensors, 9-13 variable for welding / grinding, optical class 1/2/1/1
- Viewing area 95 x 85 mm
- Possibility to flip up visor
- Comfortable elastic cotton face seal
- Easy adjustable head harness with ratchet
- Strong and flexible PE breathing hose



The headtops and masks are approved to EN12941 & EN12942:2009

and provide protection for eye, face, neck and shoulders.

protection in many industrial applications.

The T-Air® series headtops offer lightweight and comfortable

T-AIR VISOR COMBI Part # 615150

- Respirator incorporating a safety helmet.
- Large viewing area, chemical and mechanical resistant visor.
- Easy removal disposable visor system.
- Possibility to flip up visor
- Comfortable elastic cotton face seal.
- Ratchet for easy adjustable harness.



T-AIR MASK

- Neoprene or Silicone full face mask with 5 pull straps
- Providing highest protetion level.
- Perfect flt of mask due to unigue design
- For use with all filter combinations.
- Strong, durable adn chemical resistant Perpex visor

EN12941:2009 TH3P (NPF 500)



Pharmaceutica Light chemcial handling **EN12941:2009 TH3P** (NPF 500)



Spill Waste disposal

EN12941:2009 TH3P (NPF 500)



Hazardous waste Chemical handling Petrochemical industries **EN12941:2009 TH2P** (NPF 50)



Grinding Pharmaceutical **EN12941:2009 TH2P** (NPF 50)



Grinding / Welding

EN12941:2009 TH2P (NPF 50)



Industrie

EN12942:2009 TM3P (NPF2000)



Asbestos removal/ chemical industries

T-AIR FILTERS (CLASS 2)

The T-Air protects the user against high concentrations of contaminants in the form of gases vapours, particles and their combinations. The filter ports automatically close once the filters have been removed, providing decontaminations to enter the unit. (IP65)

- 40 12 01 P3 (2 or 3)
- 40 12 09 A2P3
- 40 12 15 A2B2P3
- 40 12 16 A2B2E2P3
- 40 12 17 A2B2E2K2P3
- 40 12 18 A2B2E2K2HgP3



T-AIR PAPR

Code: 650102

- Small, slim design, incorporating all Class 2 filters: A2P3, A2B2(E2) P3, A2B2E2K2(Hg)P3 and P3.
- Electronically controlled adjustable airflow: 160-220 l/min
- Tripple low flow warning: visual, acoustic, vibration.
- Heavy duty battery for long duration
- Full led display showing flow, fllter and battery capacity
- Showerproof (IP65) for complete decontamination purposes

ACCESSORIES

The unit is standard supplied with various parts as:

- battery
- charger
- comfort belt with safety buckle
- manual airflow indicator
- complete user instructions

Furthermore there are optional accessories available: Please contact your distibutor RSG for a complete demonstration







RSG Safety BV

Marinus Dammeweg 38 5928 PW VENLO The Netherlands

T +31(0) 854870395 sales@rsgsafety.com

www.rsgsafety.com

